### Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

#### **Listing of Claims:**

(Currently amended) A device for the storage of <u>one of solid and/or liquid and/or gaseous</u>
objects, in particular <u>one of medicines or and food</u>, with at least one compartment which
contains at least one object,

#### characterized-wherein

in that <u>one of</u> the filling and/or emptying of the compartment (71-76) triggers an electrically readable signal.

- 2. (Currently amended) The device as claimed in claim 1, characterized in that wherein the compartment (71-76) is mechanically changeable can be changed for one of removal of the object and/or for filling with the object, and an electrically readable signal is generated when there is a mechanical change of the compartment (71-76).
- 3. (Currently amended) The device as claimed in claim 2, <del>characterized in that</del> wherein integrated in the device <del>(7)</del> is:
  - an electrical data memory (1; 11-16) with at least one memory cell (11-16) which is respectively assigned to a compartment (71-76) and which adopts a different memory value when there is a mechanical change of the compartment (71-76).
- 4. (Currently amended) The device as claimed in claim 3, characterized in that wherein also integrated in the device (7) are:
  - evaluation electronics (2, 3, 4) for reading from the data memory (1).
- 5. (Currently amended) The device as claimed in claim 3 or 4, characterized in that wherein the compartment (71-76) forms part of the memory cell (11-16).

- 6. (Currently amended) The device as claimed in claim 5, characterized in that wherein the compartment (71-76) has an interconnect (104) which is part of the memory cell (11-16), and the interconnect (104) is destroyed when there is a mechanical change of the compartment (71-76), whereby the memory cell (11-16) adopts a different value.
- 7. (Currently amended) The device as claimed in claim 5, characterized in that wherein the compartment (71-76) forms a capacitance and the capacitance is changed when there is a mechanical change of the compartment, whereby the memory cell (11-16) adopts a different value.
- 8. (Currently amended) The device as claimed in claim 5 or 7, characterized in that wherein the compartment (71-76) forms an inductance and the inductance changes when there is a mechanical change of the compartment, whereby the memory cell (11-16) adopts a different value.
- 9. (Currently amended) The device as claimed in at least one of claims 4 to 8, characterized in that wherein the evaluation electronics (2, 3) have a shift register (31) for reading from the data memory (1).
- 10. (Currently amended) The device as claimed in at least one of claims 4 to 9, characterized in that wherein the evaluation electronics (2, 4) have two terminal contacts (Vdd, GROUND) for the voltage and a terminal contact (D) for serial data transmission.
- 11. (Currently amended) The device as claimed in at least one of claims 4 to 10, characterized in that wherein the evaluation electronics (2) have an interface with or without contacts (4a, 4b) for the data transmission between the evaluation electronics (2) and an external reader (5).

## Appln No. 10/566,144 Amdt date December 5, 2006

- 12. (Currently amended) The device as claimed in at least one of claims 4 to 11, characterized in that wherein the evaluation electronics (2) have a timer (37) and store the time at which a compartment (71-76) was mechanically changed.
- 13. (Currently amended) The device as claimed in at least one of claims 3 to 12, characterized in that wherein at least one of one memory cell (11-16) and/or interconnects (104; 8) and/or components of the evaluation electronics (2, 3, 4) are integrated in the substrate of the device (7).
- 14. (Currently amended) The device as claimed in claim 13, eharacterized in that wherein the data memory (1; 11-16) is formed as an inherent WOROM memory integrated in the substrate.
- 15. (Currently amended) The device as claimed in claim 13 or 14, characterized in that wherein one of the data memory (1; 11-16) and/or interconnects (104, 8) and/or components of the evaluation electronics (2, 3, 4) are at least partly formed as elements of polymer electronics.
- 16. (Currently amended) The device as claimed in at least one of claims 13 to 15, characterized in that wherein the device (7) has an assembly of layers and at least one of the layers of the assembly is used for forming an electrical function.
- 17. (Currently amended) The device as claimed in claim 16, characterized in that wherein one of active and/or passive electrical components are integrated in the assembly of layers, such as transistors (100), diodes, capacitors, inductors or resistors as well as circuits (2, 3, 4) formed from them.

## Appln No. 10/566,144 Amdt date December 5, 2006

- 18. (Currently amended) The device as claimed in at least one of claims 13-to 17, characterized in that wherein the substrate (7) has an aluminum layer, which forms the electrical lines (104, 8).
- 19. (Currently amended) The device as claimed in at least one of claims 13 to 17, characterized in that wherein the substrate (7) has printed-on organic compounds, which realize the interconnects.
- 20. (Currently amended) The device as claimed in at least one of claims 13 to 19, characterized in that wherein the device represents or has a pack (7) which forms the compartments (71–76), and the data memory (1) and the evaluation electronics (2, 3, 4) are integrated in the substrate of the pack (7).
- 21. (Currently amended) The device as claimed in claim 20, characterized in that wherein the substrate of the pack (7) serves as a carrier for one of electrical lines (104, 8) and/or the evaluation electronics (2, 3, 4).
- 22. (Currently amended) The device as claimed in claim 20, characterized in that wherein the evaluation electronics (32, 33, 34, 35) are integrated in a chip with an integrated voltage source (36) that is attached to the pack (7).
- 23. (Currently amended) The device as claimed in at least one of the preceding claims claim 1, characterized in that wherein the device is a blister pack (7).
- 24. (Currently amended) The device as claimed in claim 23, <del>characterized in that</del> wherein a blister <del>(71-76)</del> forms part of a memory cell <del>(11-16)</del>.

# Appln No. 10/566,144 Amdt date December 5, 2006

25. (Currently amended) The device as claimed in at least one of the preceding claims claim 1, characterized in that wherein the device is a food pack.